



Vijaya Diagnostic Centre

14-08-17, Street No. 18, Mysore Nagar, Hyderabad - 500029
Email: info@vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 29/10/2022 16:51

Sample Collection : 29/10/2022 16:55

Name : MRS. S LATHA

Released Date : 27/11/2022 16:02

Regn No : [REDACTED]

Print Date : 27/11/2022 16:05

Age / Sex : 45 Years / Female

Ref By : Dr. GOVT ENT HOSPITAL

Regn Centre : [REDACTED]

Sample Type :: Tissue

Ref no. :



Fungal Culture

TEST NAME

RESULT

Sample Type

: Tissue

Fungal Culture

: Culture negative for fungal growth after 4 weeks of incubation.

Method : Conventional Fungal Culture

Identification by MALDI TOF and YST Automated Vitek 2 system for Yeasts.

DR. VITTAL M.D
CONSULTANT MICROBIOLOGIST



Vijaya Diagnostic Centre

14-15 & 17, Road No. 19, Hennur, Bengaluru - 560022
Email: info@vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 29/10/2022 16:51:36

Sample Collection : 29/10/2022 16:55

Name : MRS. S LATHA

Released Date : 29/10/2022 19:20

Regn No : 

Print Date : 27/11/2022 16:05

Age / Sex : 45 Years / Female

Ref By : Dr. GOVT ENT HOSPITAL

Regn Centre : 

Sample Type :: Tissue

Ref no. :



Fungal Elements (KOH mount)

TEST NAME

RESULT

Sample Type

: Tissue

Fungal Elements

: Negative

Method : KOH mount



DR. VITTAL M.D
CONSULTANT MICROBIOLOGIST